## City Silent LED - Eco

Model: ENV6UYECO


LUE O DIAMOND



# Lighting Towers

6 x 160W





#### **KEY FEATURES**



· 6 x 160W Multi LED



· Massive 122100 Lumen



· 4200 M2 @ 20 Lux



Easy to use Com Ap Inteli Nano Controller





Italian made for tough Australian conditions, delivering super bright light for continuous night work in construction and civil works.





### **Lighting Towers Technical Specifications**

Performance data	
Rated frequency / voltage	50 Hz / 230 V
Rated Power	3.5 kW
Operating temperature	-30/+50°C
Sound level	61 dB @ 7 m
Control unit	ComAp InteliNano
Engine	Kohler KDW 702
Speed	1500 rpm
Coolant	Liquid
Cylinders	2
Emissions	Stage V
Alternator	Linz Alumen
Rated outlet	3.5 kVA
Regulation	Brushless
Voltage accurancy	+/- 5%
Auxillary power	1.8 kVA
Fuel Consumption	0,55 l/h
Tank	1101
Fuel	Diesel
Running time	218 h
Galvanized mast height	8.5 m
Lifting system	Hydraulic
Rotation	350°
Wind resistance	110 km/h
Trailer	Road -towed trailer
Tyres	185/70R13
Basement	Bunded base 120%
Stabilizers	4+1
Canopy	Powder coating paint
Optional	
Optional included as standard:	Grid/engine selector Daylight sensor with Autostart AMOSS kit
Optional not included:	DeepSea control unit L401 wth weekly timer Battery Isolator Electric tilting head
Shipment	
Dimension	235x147x240 cm
Weight	850 kg
Truck	10
Container 40"HC	10



## EnviroLED

Lighting Area (see MultiLed head on front page)

